

altenpflege.de Edition

Short Textbooks for Nursing Education - Focus on Elderly Care

Theo Ahrens

Nutritional Science in Geriatric Care

presented by

YES
ARCH
ITEC
TURE.

Bibliographic Information

Theo Ahrens – Short Biography

Theo Ahrens, born in 1979 near Munich, is a teacher for nursing professions and a dedicated nursing educator. After a voluntary social year in a hospital, he completed training as a health and nursing professional and gained valuable work experience in the intensive care unit. Driven by his desire to impart knowledge, he studied nursing education and began working as a teacher at a technical school in Munich in 2009. Theo is known for his practical and empathetic teaching, preparing future nurses for their demanding profession. Privately, he lives with his wife and two children in Berlin and volunteers to improve conditions in nursing education.

This short textbook was formulated from lesson plans of his teaching using A.I. The translation was carried out automatically.

Published by altenpflege.de

Price DE/AT: €3.90

CH: 5 Fr

Copyright 2024 altenpflege.de

Comments and suggestions for improvement to team@altenpflege.de

1/1-2412181529

preview

Table of Contents

1 Introduction	4
1.1 Objectives of this Short Textbook	4
1.2 Importance of Nutrition in Elderly Care	4
1.3 Role of Caregivers in Nutritional Counseling and Provision	5
2 Basics on Nutrition	6
2.1 General Information on Nutrition	6
2.2 Importance of Nutrition for Health in Old Age	6
2.3 Energy and Nutrient Requirements in Old Age	7
2.4 Metabolic Changes in Old Age (e.g., Decrease in Basal Metabolic Rate)	8
3 Nutrients and Their Functions	9
3.1 Carbohydrates	9
3.2 Proteins and Their Importance for Muscle Health	9
3.3 Fats and Their Role in Old Age	10
3.4 Vitamins and Their Importance for Older Adults	11
3.5 Minerals and Trace Elements	12
3.6 Importance of Water and Fluid Intake	12
4 Types of Nutrition and Diets in Elderly Care	14
4.1 Standard Diet and Balanced Nutrition	14
4.2 Light Full Diet and Its Areas of Application	15
4.3 Vegetarian and Vegan Diets in Elderly Care	15
4.4 Dietary Forms	16
4.5 Modified Diets	18
4.6 Enteral and Parenteral Nutrition	19
5 Nutritional Problems and Their Causes	20
5.1 Loss of Appetite	20
5.2 Malnutrition	21
5.3 Dehydration	22
5.4 Chewing and Swallowing Disorders	23
5.5 Intolerances and Allergies	25
6 Dietary-related Diseases in the Elderly	27
6.1 Diabetes mellitus and Nutrition	27
6.2 Hypertension (High Blood Pressure) and Low-Salt Diet	27
6.3 Obesity (Overweight) and Measures for Weight Control	28
6.4 Osteoporosis	29
6.5 Cardiovascular Diseases	30
6.6 Malnutrition	31
7 Nutritional Diagnostics and Assessment	32
7.1 Methods for Assessing Nutritional Status	32
7.2 Screening Methods for Malnutrition	32
7.3 Identification of Nutritional Problems	33
7.4 Creating Nutrition Plans and Action Plans	34
8 Nutritional Counseling and Education for Residents and Relatives	35
8.1 Importance of Nutritional Counseling in Elderly Care	35
8.2 Conducting Discussions with Residents and Relatives for Nutritional Counseling	36
8.3 Creating Nutrition Plans for Individual Needs	36
8.4 Involvement of Relatives in Nutritional Care	37
9 Care for Individuals with Special Nutritional Needs	39
9.1 Nutrition for People with Dementia	39
9.2 Nutrition for People with Dysphagia (Swallowing Disorders)	39
9.3 Nutrition for People with Diabetes	40
9.4 Nutrition for People with Obesity	41
9.5 Nutrition for People with Limited Mobility	42
10 Practical Implementation of Nutrition in Nursing	43
10.1 Planning and Organization of Meals	43
10.2 Assisting with Feeding and Support with Eating	43
10.3 Preparation and Presentation of Meals	44
10.4 Hygiene Regulations in Nutrition	45
11 Nutrition Documentation and Reporting	47
11.1 Documentation of nutritional intake	47
11.2 Creating Meal Records	48
11.3 Reporting Nutritional Problems	48
11.4 Communication with the Kitchen Team	49
12 Ethical and Legal Aspects of Nutrition in Care	50
12.1 Right to Self-Determination in Nutrition	50
12.2 Legal Basics of Nutrition	51
12.3 Obligation to Ensure Nutrient Intake	52
12.4 Ethical Dilemmas in Nutrition	52
12.5 Religious and Cultural Specifics	53
13 Role of Caregivers in Resident Nutrition	55
13.1 Tasks and Responsibilities of Caregivers in Nutritional Provision	55
13.2 Collaboration with Nutritionists, Doctors and Relatives	56
13.3 Promoting Residents' Independence in Eating	56
13.4 Continuing Education for Nursing Staff in the Field of Nutrition	57
14 Involvement of Relatives	59
14.1 Involvement of Relatives in the Creation of Nutrition Plans	59
14.2 Training for Relatives to Support Food Intake	60
14.3 Dealing with Emotional Aspects of Nutrition	61
15 Self-Reflection and Health Promotion for Caregivers	62
15.1 Nutrition of Caregivers	62
15.2 Dealing with Stress and Time Pressure in the Nutritional Care of Residents	62
15.3 Self-Reflection of Caregivers in Managing Residents' Nutritional Issues	63
16 Case Studies and Practical Applications	64
16.1 Case Study: Managing a Resident with Malnutrition	64
16.2 Case Study: Measures to Promote Fluid Intake in a Resident	65
16.3 Case Study: Supporting a Resident with Dysphagia During Meals	66
16.4 Reflection on Case Studies and Recommendations	66

1 Introduction

1.1 Objectives of this Short Textbook

The concise textbook provides comprehensive knowledge on nutrition in elderly care. It imparts theoretical understanding and practical skills for effective nutritional care of older people. The aim is to optimize the health of seniors through tailored nutritional strategies. Caregivers learn to create individual nutrition plans and recognize specific nutritional needs. The book enhances the competence for counseling and training of residents and their relatives. It establishes a solid foundation for the identification and prevention of diet-related diseases in old age. It considers ethical and legal aspects of nutritional care. The content supports the professional development of caregivers and strengthens interdisciplinary collaboration with nutritionists and doctors.

1.2 Importance of Nutrition in Elderly Care

Nutrition significantly influences the quality of life and health of older adults. A nutrient supply that meets their needs can alleviate age-related complaints and promote autonomy. Good nutrition supports wound healing, strengthens the immune system, and reduces the risk of infections. A balanced diet regulates blood pressure and positively affects blood sugar levels, which is crucial in conditions like diabetes mellitus.

Age-related changes, such as the decline in muscle mass or bone density, can be mitigated through targeted nutrient intake. Maintaining muscle strength through adequate protein intake is essential for mobility and fall prevention. Vitamins and minerals contribute to bone health and support cognitive functions.

Aging individuals often experience changes in taste and digestion, reducing their willingness to eat. Individually tailored nutrition plans motivate eating and drinking, thereby reducing the risks of dehydration and malnutrition. Moreover, a selected dietary form can promote social participation by making communal meals more enjoyable.

The role of caregivers in the nutrition of seniors is of central importance. They recognize early changes in nutritional status and initiate preventive measures. Through their care, it is ensured that seniors have access to well-designed meals that meet their needs and preferences. Precisely documented nutritional strategies form the basis for interdisciplinary collaboration with doctors and nutritionists.

Overall, targeted nutrition in elder care makes a significant contribution to promoting well-being, maintaining independence, and preventing nutrition-related diseases. Competent nutritional care is an integral part of holistic care and indispensable for healthy aging with dignity.

1.3 Role of Caregivers in Nutritional Counseling and Provision

Nursing staff are central actors in the nutritional care and counseling of elderly people. Their role encompasses various responsibilities, from analyzing individual nutritional needs to providing practical support with food intake.

Firstly, nursing staff identify nutritional needs by observing and assessing the residents' nutritional status. This includes evaluating nutrient intake, considering preferences and dislikes, and recognizing risks such as dehydration or malnutrition. The close contact with residents plays a crucial role here, as nursing staff can perceive their eating habits and changes at an early stage.

Planning and implementing individual nutrition plans is another focus. Nursing staff implement dietary recommendations by collaborating with nutritionists, doctors, and family members. They coordinate meals and ensure adherence to special diets or nutritional regimens. In doing so, they make sure that meals not only meet nutritional needs but are also appetizingly presented to increase the willingness to eat.

In practical care, nursing staff assist in providing meals. They help with food intake, especially for residents with physical limitations or swallowing disorders. Adhering to hygiene regulations is crucial here to prevent infections.

Nursing staff are also responsible for documenting the nutritional progress. They record what and how much was eaten and drunk, so that the residents' health status can be continuously monitored and adjustments made to the nutritional strategy.

Counseling is an important part of their role. Nursing staff inform residents and family members about healthy eating and the importance of a balanced diet. They explain the possible effects of poor eating habits and motivate participation in nutritional care.

Additionally, nursing staff are responsible for actively involving residents in health promotion measures. They promote independence in eating and create a pleasant dining atmosphere to improve the quality of life for seniors.

In nutritional counseling and care, nursing staff are thus crucial for implementing an effective and needs-based nutritional strategy. Their interdisciplinary collaboration with other professionals and continuous training in nutrition science are essential to meet the complex demands of elderly care.

2 Basics on Nutrition

2.1 General Information on Nutrition

Nutrition involves the intake of nutrients that the body needs to maintain health. These nutrients include carbohydrates, proteins, fats, vitamins, minerals, and water. A balanced diet ensures that all necessary nutrients are available in appropriate amounts.

Carbohydrates serve as the primary energy source. They should preferably come from whole grains, fruits, and vegetables. Proteins are essential for maintaining muscle mass and cell regeneration. High-quality protein sources include meat, fish, eggs, dairy products, and legumes. Fats provide energy and support the absorption of fat-soluble vitamins. Healthy fats are found in nuts, seeds, fish, and plant oils.

Vitamins and minerals perform diverse functions in the body. Vitamin C promotes wound healing and the immune system, while calcium and vitamin D are crucial for bone health. Adequate fluid intake is necessary for metabolism, cell function, and the prevention of dehydration.

Eating habits and taste preferences affect nutrient intake. In old age, physiological changes can alter these needs. Limitations in chewing and swallowing, reduced sense of thirst, and changed metabolism must be taken into account. Caregivers should be aware of these individual differences to avoid under- or overnutrition and ensure well-being.

2.2 Importance of Nutrition for Health in Old Age

A balanced diet is crucial in old age for maintaining physical and mental health. As people age, physiological changes occur that can affect nutritional needs. Muscle mass and bone density decrease, increasing the risk of falls and fractures. A protein-rich diet can help prevent muscle loss and support bone health.

The immune system weakens with age, increasing the susceptibility to infections. An adequate intake of vitamins and minerals supports immune function. Vitamin C, D, and zinc are particularly important here. Fiber is important for healthy digestion and can help prevent constipation, a common problem in the elderly.

Brain health is also influenced by diet. Omega-3 fatty acids, found in fatty fish, flaxseeds, and walnuts, are essential for brain function and can counteract cognitive decline. Antioxidants, found in a variety of fruits and vegetables, can minimize damage from free radicals and reduce the risk of neurodegenerative diseases.

Malnutrition and undernutrition are common among the elderly and can have serious consequences, including muscle weakness, increased susceptibility to infections, and delayed wound healing. Regular nutritional assessments are important to identify and address these issues early.

Nutrition also significantly affects heart health. A low-salt diet can help control high blood pressure, while healthy fats can lower cholesterol levels and reduce the risk of cardiovascular diseases. Omega-3 fatty acids, in particular, have a positive impact on heart health.

Overall, a balanced diet is crucial for maintaining quality of life in old age and preventing age-related health issues. Caregivers play an important role in supporting and ensuring adequate nutrition for the elderly.

2.3 Energy and Nutrient Requirements in Old Age

As the body ages, its energy requirements change. The basal metabolic rate, which is the amount of energy the body needs at rest to maintain its functions, decreases. This is due to the loss of muscle mass and a slowdown in metabolism. Therefore, the energy requirements of older people are often lower than those of younger adults.

The caloric needs of older individuals typically range from about 1600 to 2000 kilocalories per day, depending on gender, activity level, and health status. Physically active seniors require more calories, while the needs of immobile or ill individuals may decrease further.

The nutrient requirements remain the same or may even increase in some cases, particularly for proteins, vitamins, and minerals. Adequate protein intake is crucial for maintaining muscle mass. It is recommended to consume around 1.0 to 1.2 grams of protein per kilogram of body weight per day. Due to the decreasing energy requirement, it is important for the diet to be nutrient-dense to ensure sufficient nutrient intake despite lower food consumption.

Particular attention should be paid to the intake of calcium and vitamin D to support bone health and prevent osteoporosis. Vitamin B12 can also become a deficiency due to altered absorption in old age, negatively affecting blood formation and the nervous system. Therefore, adequate intake or supplementation is important.

Adequate antioxidant intake is also significant to slow down cell aging and support cognitive functions. Sources include fruits, vegetables, and whole grain products.

Caregivers should address individual needs and regularly assess the energy and nutrient requirements to prevent under- or overnutrition. Close collaboration with nutritionists can help optimize nutritional care and promote the health of older individuals.

2.4 Metabolic Changes in Old Age (e.g., Decrease in Basal Metabolic Rate)

In old age, significant changes occur in metabolism, affecting nutrient utilization and energy availability. A central factor is the decline in basal metabolic rate, which refers to the amount of energy the body needs at rest to maintain vital functions. This decline is due to the loss of muscle mass and reduced activity of metabolic processes.

Muscle loss, also known as sarcopenia, plays a crucial role. With age, muscle mass decreases significantly, contributing significantly to the reduction of basal metabolic rate. Muscles are the most metabolically active tissues in the body, and their loss leads to a reduced energy requirement. This highlights the importance of a protein-rich diet and regular physical training to support muscle maintenance.

Hormonal changes also affect metabolism. The decreased secretion of hormones such as testosterone, estrogen, and growth hormones, which are important for energy and muscle metabolism, also contributes to the decline in basal metabolic rate. These hormonal adjustments can also influence appetite and nutrient intake, further complicating the dietary needs of older adults.

Fat metabolism changes in parallel with the decline in basal metabolic rate. The body tends to store more fat, which can increase the risk of overweight and related diseases. However, a balanced intake of healthy fats remains important to support cell function and reduce the risk of cardiovascular diseases.

The metabolic rate of certain organs also reduces with age. The liver, responsible for detoxification and the metabolism of many nutrients, often shows decreased activity. Similarly, changes occur in kidney function, affecting the regulation of electrolytes and water balance. These organ changes require dietary adjustments to ensure optimal function despite the physiological changes.

In summary, considering these metabolic changes is essential to adequately meet nutritional needs in old age and promote health. An adapted dietary strategy should account for the reduced energy needs while ensuring the supply of essential nutrients. Caregivers must be sensitized to these specific needs to support the quality of life of older individuals through optimized nutritional care.

3 Nutrients and Their Functions

3.1 Carbohydrates

Carbohydrates are essential energy providers for the body, especially in old age. They consist of sugar building blocks and are divided into three main types: simple sugars (monosaccharides), double sugars (disaccharides), and complex sugars (polysaccharides).

Simple sugars like glucose and fructose are found in fruits and honey. They provide quickly available energy. Double sugars like sucrose (table sugar) are also fast energy sources and are found in sugar cane and sugar beets. Complex sugars, which occur in starch and dietary fibers, are more complex. They are found in foods like bread, potatoes, and whole grain products. These are important for a steady energy supply over a longer period.

The main function of carbohydrates is to provide energy. About 50-60% of daily energy intake should come from carbohydrates. In old age, the selection of nutrient-rich carbohydrates is important to promote gut health and minimize the risk of blood sugar fluctuations.

Dietary fibers, a special form of carbohydrates, also play an important role in digestion. They promote bowel activity, support a healthy gut flora, and can prevent constipation. Older people, in particular, should ensure adequate fiber intake to improve gut health.

Carbohydrate-rich foods include whole grain products, legumes, fruits, and vegetables. These should be regularly integrated into a balanced diet. They not only provide energy but also supply vitamins, minerals, and secondary plant compounds necessary for overall health in old age.

In elderly care, it is important to consider individual preferences and intolerances. A balanced carbohydrate supply helps provide energy without unnecessarily burdening the metabolism. Pay attention to the right amount, and especially to the quality of carbohydrates, to support the health and well-being of the residents.

3.2 Proteins and Their Importance for Muscle Health

Proteins are essential building blocks of the body, particularly important for maintaining muscle mass in old age. They consist of amino acids, which are indispensable for muscle building and maintenance. Age-related muscle loss, sarcopenia, can be slowed down by sufficient protein intake. Proteins contribute to muscle repair and regeneration and support the function of enzymes and hormones.

A balanced protein intake is important to maintain muscles and strengthen bones. The daily protein requirement for older people is about 1-1.2 grams per kilogram of body weight. Sources such as meat, fish, eggs, dairy products, legumes, nuts, and seeds are rich in protein. A combination of animal and plant proteins ensures a complete variety of amino acids.

The bioavailability, the measure of how well proteins from food are utilized in the body, is a crucial factor. Animal proteins generally have higher bioavailability. However, plant-based proteins are also valuable, especially in combination.

Adequate protein intake is central to preventing muscle loss and promotes wound healing, immune function, and overall health. In elderly care, attention should be paid to the integration of protein-rich foods into the diet. In cases of chewing or swallowing difficulties, alternative forms of presentation, such as mild, soft, or liquid food, should be offered.

Caregivers should also be aware of potential protein deficiencies, which can lead to weakness and reduced mobility. A good balance between the amount and quality of proteins is crucial to ensure long-term muscle health in old age.

3.3 Fats and Their Role in Old Age

Fats are an essential component of the diet, especially in old age. They serve as an important source of energy and are necessary for the absorption of fat-soluble vitamins (A, D, E, K). Fats can be divided into three main groups: saturated, unsaturated, and trans fats.

Saturated fats are found mainly in animal products such as meat, butter, and cheese. A high intake of saturated fats can increase the risk of cardiovascular diseases. In old age, it is particularly important to reduce the intake of saturated fats and instead increasingly rely on unsaturated fats.

Unsaturated fats are found in plant oils such as olive, canola, or flaxseed oil as well as in fish, nuts, and avocados. They are known for their positive effects on the cardiovascular system, as they can help lower cholesterol levels in the blood. Omega-3 and omega-6 fatty acids, both unsaturated fatty acids, play an essential role in anti-inflammatory actions and supporting the immune system. An adequate intake of these fatty acids can contribute to overall health and well-being in old age.

Trans fats are industrially hydrogenated fats found in some processed foods such as baked goods and fast food. They are suspected of increasing the risk of cardiovascular diseases and should therefore be avoided as much as possible in old age.

The fat requirement of older individuals can vary, but generally, about 25-30% of daily energy intake should come from fats. A balanced ratio of omega-3 to omega-6 fatty acids is important, with a focus on unsaturated fatty acids. Caregivers should ensure that meals have a healthy fat composition and meet the individual needs and preferences of the residents.

7 This is just a preview

The complete book is available at <https://www.altenpflege.de> for registered users. Registration and use are free of charge. Those who do not want to register can transfer the amount mentioned on page 2 via PayPal to buchhaltung@factsoft.de and include both the book title and email address. They will then receive the PDF via email.

In addition to free access to the short textbooks, registering on [altenpflege.de](https://www.altenpflege.de) enables you to apply directly for jobs and also post a free job advertisement yourself. Become part of the [altenpflege.de](https://www.altenpflege.de) community too.